

Mini dry bath
incubator LB-50MDI



Overview :

Mini dry bath incubator LB-50MDI is a portable unit with a temperature range from 5°C to 100°C. Features a clear lid for user to view sample processing. Interchangeable blocks facilitates easy and convenient cleaning, disinfecting, preventing cross contamination caused during processes. Its light weight and low operational voltage (as low as 12 V) feature enables it to be carried and handled with ease.

Specifications :

Temperature Range	5 °C ~ 100 °C
Temperature accuracy at 40°C	± 0.2°C
Display accuracy	± 0.3°C
Heating Time	± 0.1°C
Timing Range	? 15 min
Dimensions (L × W × H)	0 ~ 999 mins or 0 ~ 999 secs
Net Weight	164 x 116 x 98 mm

Features :

1. Control wheels to adjust time and temperature
2. LED display for easy visualization of parameters (time and temperature)
3. Simultaneously display of preset/actual time and temperature
4. Various interchangeable blocks for different sample concentration

Applications :

Used to determine melting and boiling point, for incubation and activation of cultures, immunoassays, enzyme reactions, blood urea nitrogen

Optional Accessories:

Accessory No	Block Capacity
B1	24 x 0.5 ml block
B2	40 x 0.2 ml block
B3	15 x 1.5 ml block
B4	15 x 2.0 ml block
B5	8- 12.5 x 12.5 x 32 mm (used in cuvette)
B6	4 x 15 ml block
B7	2 x 50 ml block



Labotronics Scientific. 1007 N Orange St., Wilmington, DE 19801, USA
info@labotronics.com | www.labotronics.com